

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

CM 6

CRN 1996-88-9
CMF C14 H9 F17 O2



L78 ANSWER 4 OF 8 HCAPLUS COPYRIGHT 2003 ACS on STN
AN 1992:409914 HCAPLUS
DN 117:9914
TI Fluoro(meth)acrylate esters and their coatings for heat-resistant optical fibers
IN Yokoshima, Minoru
PA Nippon Kayaku Co., Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 6 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
IC ICM C07C069-653
ICS C03C025-02; C08F020-22; C09D004-02; G02B006-44
CC 42-7 (Coatings, Inks, and Related Products)
Section cross-reference(s): 35, 73

FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------|--------------|------|----------|-----------------|----------|
| PI | JP 03215453 | A2 | 19910920 | JP 1990-8154 | 19900119 |
| | JP 2801719 | B2 | 19980921 | | |
| PRAI | JP 1990-8154 | | 19900119 | | |

OS MARPAT 117:9914

AB The title (meth)acrylates are $\text{QO}(\text{CH}_2)_2(\text{CF}_2)_4(\text{CH}_2)_2\text{OQ}$ [I; Q = $\text{CH}_2\text{:CRCO}_2\text{CH}_2\text{CH}(\text{OH})\text{CH}_2\text{O}$, R = H, Me]. Thus, 3:97 mixt. of Irgocure 184 and I [R = H; from acrylic acid, epichlorohydrin, and $\text{HO}(\text{CH}_2)_2(\text{CF}_2)_4(\text{CH}_2)_2\text{OH}$] showed water absorption 0.5% and elongation at break 51% (23.degree.) initially and 50% after 1 mo at 150.degree., which was used to coat on optical fibers and cured with UV rays to give fibers without any transmission loss at 150.degree. for 1 mo.

ST heat resistant coating optical fiber; fluoro acrylic coating optical fiber; octafluorooctanediol epoxidized diacrylate polymer coating

IT Optical fibers

(heat-resistant coatings for, epoxidized octafluorooctanediol di(meth)acrylate polymers as)

IT Fluoropolymers

RL: TEM (Technical or engineered material use); USES (Uses)
(epoxy, acrylates, coatings, heat-resistant, for optical fibers)

IT Acrylic polymers, preparation

RL: PREP (Preparation)
(fluorine-contg., epoxidized, heat-resistant coatings, for optical fibers)

IT Epoxy resins, compounds

RL: TEM (Technical or engineered material use); USES (Uses)
(fluorine-contg., acrylates, coatings, heat-resistant, for optical fibers)

Coating materials

(heat-resistant, octafluorooctanediol diepichlorohydrin ether
di(meth)acrylate **polymers**, for **optical** fibers)

IT 139011-87-3 **139011-90-8 139011-91-9**

RL: TEM (Technical or engineered material use); USES (Uses)
(coatings, heat-resistant, for optical fibers)

IT 79-10-7, Acrylic acid, reactions 79-41-4, Methacrylic acid, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)
(esterification of, with epoxidized octafluorooctanediols)

IT 83192-87-4

RL: RCT (Reactant); RACT (Reactant or reagent)
(etherification of, with epichlorohydrin)

IT 106-89-8, Epichlorohydrin, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)
(etherification of, with octafluorooctanediol)

IT 139011-88-4P 139011-89-5P

RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(prepn. and **polymn.** of, for coatings for **optical**
fibers)

IT **139011-90-8 139011-91-9**

RL: TEM (Technical or engineered material use); USES (Uses)
(coatings, heat-resistant, for optical fibers)

RN 139011-90-8 HCAPLUS


CN 2-Propenoic acid, 2-methyl-, (3,3,4,4,5,5,6,6-octafluoro-1,8-
octanediyl)bis[oxy(2-hydroxy-3,1-propanediyl)] ester, polymer with
(chloromethyl)oxirane polymer with 4,4'-(1-methylethylidene)bis[phenol]
2-propenoate and (3,3,4,4,5,5,6,6-octafluoro-1,8-octanediyl)bis[oxy(2-
hydroxy-3,1-propanediyl)] di-2-propenoate (9CI) (CA INDEX NAME)

CM 1


CRN 139011-89-5

CMF C22 H30 F8 O8

PAGE 1-A



PAGE 1-B




CM 2


CRN 139011-88-4

CMF C20 H26 F8 O8

PAGE 1-A



PAGE 1-B



CM 3


CRN 55818-57-0

CMF (C15 H16 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 4

CRN 79-10-7

CMF C3 H4 O2



CM 5

CRN 25068-38-6


CMF (C15 H16 O2 . C3 H5 Cl O)x

CCI PMS

CM 6

CRN 106-89-8


CMF C3 H5 Cl O



CM 7

CRN 80-05-7

CMF C15 H16 O2




RN 139011-91-9 HCAPLUS
 CN 2-Propenoic acid, (3,3,4,4,5,5,6,6-octafluoro-1,8-octanediyl)bis[oxy(2-hydroxy-3,1-propanediyl)] ester, polymer with (chloromethyl)oxirane polymer with 4,4'-(1-methylethylidene)bis[phenol] 2-propenoate (9CI) (CA INDEX NAME)


CM 1

CRN 139011-88-4
 CMF C20 H26 F8 O8

PAGE 1-A



PAGE 1-B




CM 2

CRN 55818-57-0
 CMF (C15 H16 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 3

CRN 79-10-7
 CMF C3 H4 O2




CM 4

CRN 25068-38-6
 CMF (C15 H16 O2 . C3 H5 Cl O)x .
 CCI PMS


CM 5

CRN 106-89-8
CMF C3 H5 Cl O



CM 6

CRN 80-05-7
CMF C15 H16 O2




L78 ANSWER 5 OF 8 HCAPLUS COPYRIGHT 2003 ACS on STN
AN 1992:215926 HCAPLUS
DN 116:215926
TI Broad-band high-numerical aperture plastic-clad optical fibers
IN Nishimoto, Hiroaki; Mishima, Takayuki
PA Sumitomo Electric Industries, Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 7 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
IC ICM. G02B006-18
CC 38-3 (Plastics Fabrication and Uses)
Section cross-reference(s): 73

FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------|---------------|------|----------|-----------------|----------|
| PI | JP 03245108 | A2 | 19911031 | JP 1990-43402 | 19900223 |
| | JP 3132729 | B2 | 20010205 | | |
| | US 5123076 | A | 19920616 | US 1991-658876 | 19910222 |
| PRAI | JP 1990-43402 | A | 19900223 | | |


AB The title optical fibers satisfy conditions of (1) n of the **cured** clad resin at practical wavelength is 97-98.5% that of edge of the core, (2) light transmission of the **cured** clad resin at a practical wavelength 500-4000 dB/km, and (3) linear expansion coeff. of the **cured** clad resin: $\leq 2.0 \times 10^{-4}/^{\circ}\text{C}$. Thus, an optical fiber comprising Ge-doped quartz core and fluorinated acrylate polymer clad had core n 1.474 (at center) and 1.455 (at edge), clad n 1.420, clad light transmission 2960 dB/km, clad linear expansion coeff. $0.00013/^{\circ}\text{C}$, transmission band 89 MHz, and transmission loss 6.22 dB.

ST broad band optical fiber; high numerical aperture optical fiber; glass core optical fiber; fluorinated acrylate **polymer optical**




CM 5

CRN 2223-82-7
CMF C11 H16 O4



CM 6

CRN 1830-78-0
CMF C11 H16 O5



L78 ANSWER 7 OF 8 HCAPLUS COPYRIGHT 2003 ACS on STN

AN 1992:7996 HCAPLUS

DN 116:7996

TI Resin compositions and heat-resistant coatings for optical fibers

IN Yokoshima, Minoru; Matsumoto, Kanichi

PA Nippon Kayaku Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM C08F220-26

ICS C03C025-02; C08F220-22; C08F299-02; C09D004-00; C09D004-02;
G02B006-44

CC 42-10 (Coatings, Inks, and Related Products)

Section cross-reference(s): 57

FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------|--|------|----------|-----------------|----------|
| PI | JP 03068609 | A2 | 19910325 | JP 1989-203796 | 19890808 |
| PRAI | JP 1989-203796 | | 19890808 | | |
| AB | The compns. and the coatings, esp. useful for applying on glass optical fibers used in high temp., comprise epoxy acrylates, | | | | |


CH₂:CRCO₂(CH₂)_a(CF₂)₄(CH₂)_bOCOCR:CH₂ (R = H, Me; a, b = 1, 2), and imide acrylates. Thus, Epikote 828 acrylate 30, a reaction product of HO(CH₂)₂(CF₂)₂(CH₂)₂OH and acrylic acid (I) 50, a product prepd. from phthalic acid, 3-amino-1-butanol, and I 20, and Irgacure 184 3 parts were mixed to give a compn., whose **cured** sheet showed Young's modulus at 23.degree. 117 kg/mm² initially and 118 kg/mm² after 1 mo at 150.degree.. The compn. was applied on glass optical fiber and UV-**cured** to show no change of transmission loss after 1 mo at 150.degree..

ST optical glass fiber resin coating; acrylate polymer coating glass fiber
 IT **Optical fibers**
 (coating of, acrylic **polymers** for, heat-resistant)
 IT Coating materials
 (heat-resistant, acrylic **polymers**, prepn. of, on glass **optical fibers**)
 IT 55818-57-0, Epikote 828 acrylate
 RL: USES (Uses)
 (coatings contg., for glass optical fibers)
 IT **137853-66-8P 137853-67-9P 137914-67-1P**
137914-68-2P
 RL: TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (coatings, prepn. of, on glass optical fibers, heat-resistant)
 IT 86752-95-6P 106646-48-4P 126121-41-3P 126121-42-4P 137799-19-0P
 137799-20-3P
 RL: PREP (Preparation)
 (prepn. of, for manuf. of acrylic polymer coatings)
 IT **137853-66-8P 137853-67-9P 137914-67-1P**
137914-68-2P
 RL: TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (coatings, prepn. of, on glass optical fibers, heat-resistant)
 RN 137853-66-8 HCAPLUS
 CN 2-Propenoic acid, 2-(octahydro-1,3-dioxo-2H-isoindol-2-yl)ethyl ester, polymer with (chloromethyl)oxirane polymer with 4,4'-(1-methylethylidene)bis[phenol] 2-propenoate, and 3,3,4,4,5,5,6,6-octafluoro-1,8-octanediol 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 106646-48-4

CMF C13 H17 N O4




CM 2

CRN 137799-20-3

CMF C8 H10 F8 O2 . x C3 H4 O2


CM 3

CRN 83192-87-4
CMF C8 H10 F8 O2



CM 4

CRN 79-10-7
CMF C3 H4 O2




CM 5

CRN 55818-57-0
CMF (C15 H16 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 6

CRN 79-10-7
CMF C3 H4 O2




CM 7

CRN 25068-38-6
CMF (C15 H16 O2 . C3 H5 Cl O)x
CCI PMS

CM 8


CRN 106-89-8
CMF C3 H5 Cl O



CM 9

CRN 80-05-7

CMF C15 H16 O2



RN 137853-67-9 HCAPLUS



CN 2-Propenoic acid, 2-(octahydro-1,3-dioxo-2H-isoindol-2-yl)ethyl ester,
polymer with (chloromethyl)oxirane polymer with methylenebis[phenol]
2-propenoate, 2,2,3,3,4,4,5,5-octafluoro-1,6-hexanediol 2-propenoate and
tricyclo[3.3.1.1^{3,7}]decyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 129090-25-1

CMF C13 H18 O2


CCI IDS



CM 2

CRN 106646-48-4

CMF C13 H17 N O4




CM 3

CRN 137799-19-0

CMF C6 H6 F8 O2 . x C3 H4 O2


CM 4

CRN 355-74-8
CMF C6 H6 F8 O2



CM 5

CRN 79-10-7
CMF C3 H4 O2




CM 6

CRN 86752-95-6
CMF (C13 H12 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 7

CRN 79-10-7
CMF C3 H4 O2



CM 8


CRN 58421-55-9
CMF (C13 H12 O2 . C3 H5 Cl O)x
CCI PMS

CM 9

CRN 1333-16-0
CMF C13 H12 O2
CCI IDS




D1-OH



CM 10

CRN 106-89-8

CMF C3 H5 Cl O




RN 137914-67-1 HCAPLUS
CN 2-Propenoic acid, 2-(octahydro-4-methyl-1,3-dioxo-2H-isoindol-2-yl)ethyl ester, polymer with (chloromethyl)oxirane polymer with 4,4'-(1-methylethylidene)bis[phenol] 2-propenoate, .alpha.-hydro-.omega.-[(1-oxo-2-propenyl)oxy]poly[oxy(1-oxo-1,6-hexanediyl)] diester with 3-hydroxy-2,2-dimethyl-3-hydroxy-2,2-dimethylpropanoate, and 3,3,4,4,5,5,6,6-octafluoro-1,8-octanediol 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 126121-41-3

CMF C14 H19 N O4




CM 2

CRN 102903-35-5


CMF (C6 H10 O2)n (C6 H10 O2)n C16 H24 O6

CCI PMS

PAGE 1-A



PAGE 1-B



CM 3


CRN 137799-20-3

CMF C8 H10 F8 O2 . x C3 H4 O2

CM 4

CRN 83192-87-4


CMF C8 H10 F8 O2



CM 5

CRN 79-10-7

CMF C3 H4 O2



CM 6


CRN 55818-57-0

CMF (C15 H16 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 7

CRN 79-10-7

CMF C3 H4 O2




CM 8

CRN 25068-38-6
CMF (C15 H16 O2 . C3 H5 Cl O)x
CCI PMS


CM 9

CRN 106-89-8
CMF C3 H5 Cl O



CM 10


CRN 80-05-7
CMF C15 H16 O2



RN 137914-68-2 HCAPLUS
CN 2-Propenoic acid, (2,4,6-trioxo-1,3,5-triazine-1,3,5(2H,4H,6H)-triyl)tri-2,1-ethanediyl ester, polymer with (chloromethyl)oxirane polymer with methylenebis[phenol] 2-propenoate, 3-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)butyl 2-propenoate and 3,3,4,4,5,5,6,6-octafluoro-1,8-octanediol 2-propenoate (9CI) (CA INDEX NAME)

CM 1


CRN 126121-42-4
CMF C15 H15 N O4



CM 2

CRN 40220-08-4

CMF C18 H21 N3 O9



CM 3


CRN 137799-20-3

CMF C8 H10 F8 O2 . x C3 H4 O2

CM 4

CRN 83192-87-4


CMF C8 H10 F8 O2



CM 5

CRN 79-10-7

CMF C3 H4 O2




CM 6

CRN 86752-95-6
CMF (C13 H12 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 7

CRN 79-10-7
CMF C3 H4 O2



CM 8


CRN 58421-55-9
CMF (C13 H12 O2 . C3 H5 Cl O)x
CCI PMS

CM 9

CRN 1333-16-0
CMF C13 H12 O2
CCI IDS




D1-OH




CM 10

CRN 106-89-8
CMF C3 H5 Cl O



L78 ANSWER 8 OF 8 HCAPLUS COPYRIGHT 2003 ACS on STN
AN 1990:140561 HCAPLUS
DN 112:140561


KATHLEEN FULLER EIC 1700/PARKER LAW 308-4290



CM 5

CRN 2223-82-7


CMF C11 H16 O4



CM 6

CRN 1830-78-0

CMF C11 H16 O5



L78 ANSWER 7 OF 8 HCAPLUS COPYRIGHT 2003 ACS on STN

AN 1992:7996 HCAPLUS

DN 116:7996

TI Resin compositions and heat-resistant coatings for optical fibers

IN Yokoshima, Minoru; Matsumoto, Kanichi

PA Nippon Kayaku Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM C08F220-26

ICS C03C025-02; C08F220-22; C08F299-02; C09D004-00; C09D004-02;
G02B006-44

CC 42-10 (Coatings, Inks, and Related Products)

Section cross-reference(s): 57

FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------|--|------|----------|-----------------|----------|
| PI | JP 03068609 | A2 | 19910325 | JP 1989-203796 | 19890808 |
| PRAI | JP 1989-203796 | | 19890808 | | |
| AB | The compns. and the coatings, esp. useful for applying on glass optical fibers used in high temp., comprise epoxy acrylates, | | | | |

CH₂:CRCO₂(CH₂)_a(CF₂)₄(CH₂)_bOCOCR:CH₂ (R = H, Me; a, b = 1, 2), and imide acrylates. Thus, Epikote 828 acrylate 30, a reaction product of HO(CH₂)₂(CF₂)₂(CH₂)₂OH and acrylic acid (I) 50, a product prepd. from phthalic acid, 3-amino-1-butanol, and I 20, and Irgacure 184 3 parts were mixed to give a compn., whose **cured** sheet showed Young's modulus at 23.degree. 117 kg/mm² initially and 118 kg/mm² after 1 mo at 150.degree.. The compn. was applied on glass optical fiber and UV-**cured** to show no change of transmission loss after 1 mo at 150.degree..

ST optical glass fiber resin coating; acrylate polymer coating glass fiber

IT **Optical fibers**

(coating of, acrylic **polymers** for, heat-resistant)

IT Coating materials

(heat-resistant, acrylic **polymers**, prepn. of, on glass **optical fibers**)

IT 55818-57-0, Epikote 828 acrylate

RL: USES (Uses)

(coatings contg., for glass optical fibers)

IT **137853-66-8P 137853-67-9P 137914-67-1P**

137914-68-2P

RL: TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(coatings, prepn. of, on glass optical fibers, heat-resistant)

IT 86752-95-6P 106646-48-4P 126121-41-3P 126121-42-4P 137799-19-0P

137799-20-3P

RL: PREP (Preparation)

(prepn. of, for manuf. of acrylic polymer coatings)

IT **137853-66-8P 137853-67-9P 137914-67-1P**

137914-68-2P

RL: TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(coatings, prepn. of, on glass optical fibers, heat-resistant)


RN 137853-66-8 HCAPLUS

CN 2-Propenoic acid, 2-(octahydro-1,3-dioxo-2H-isoindol-2-yl)ethyl ester, polymer with (chloromethyl)oxirane polymer with 4,4'-(1-methylethylidene)bis[phenol] 2-propenoate, and 3,3,4,4,5,5,6,6-octafluoro-1,8-octanediol 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 106646-48-4

CMF C13 H17 N O4




CM 2

CRN 137799-20-3

CMF C8 H10 F8 O2 . x C3 H4 O2


CM 3

CRN 83192-87-4
CMF C8 H10 F8 O2



CM 4

CRN 79-10-7
CMF C3 H4 O2




CM 5

CRN 55818-57-0
CMF (C15 H16 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 6

CRN 79-10-7
CMF C3 H4 O2




CM 7

CRN 25068-38-6
CMF (C15 H16 O2 . C3 H5 Cl O)x
CCI PMS

CM 8


CRN 106-89-8
CMF C3 H5 Cl O



CM 9

CRN 80-05-7

CMF C15 H16 O2





RN 137853-67-9 HCAPLUS
CN 2-Propenoic acid, 2-(octahydro-1,3-dioxo-2H-isoindol-2-yl)ethyl ester,
polymer with (chloromethyl)oxirane polymer with methylenebis[phenol]
2-propenoate, 2,2,3,3,4,4,5,5-octafluoro-1,6-hexanediol 2-propenoate and
tricyclo[3.3.1.1^{3,7}]decyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 129090-25-1

CMF C13 H18 O2


CCI IDS



CM 2

CRN 106646-48-4

CMF C13 H17 N O4



CM 3


CRN 137799-19-0

CMF C6 H6 F8 O2 . x C3 H4 O2

CM 4

CRN 355-74-8


CMF C6 H6 F8 O2



CM 5

CRN 79-10-7

CMF C3 H4 O2



CM 6


CRN 86752-95-6

CMF (C13 H12 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 7

CRN 79-10-7

CMF C3 H4 O2



CM 8

CRN 58421-55-9

CMF (C13 H12 O2 . C3 H5 Cl O)x

CCI PMS

CM 9


CRN 1333-16-0

CMF C13 H12 O2

CCI IDS




D1-OH



CM 10

CRN 106-89-8

CMF C3 H5 Cl O




RN 137914-67-1 HCAPLUS
CN 2-Propenoic acid, 2-(octahydro-4-methyl-1,3-dioxo-2H-isoindol-2-yl)ethyl ester, polymer with (chloromethyl)oxirane polymer with 4,4'-(1-methylethylidene)bis[phenol] 2-propenoate, .alpha.-hydro-.omega.-[(1-oxo-2-propenyl)oxy]poly[oxy(1-oxo-1,6-hexanediyl)] diester with 3-hydroxy-2,2-dimethyl-3-hydroxy-2,2-dimethylpropanoate, and 3,3,4,4,5,5,6,6-octafluoro-1,8-octanediol 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 126121-41-3

CMF C14 H19 N O4




CM 2

CRN 102903-35-5


CMF (C6 H10 O2)n (C6 H10 O2)n C16 H24 O6

CCI PMS

PAGE 1-A



PAGE 1-B



CM 3


CRN 137799-20-3

CMF C8 H10 F8 O2 . x C3 H4 O2

CM 4

CRN 83192-87-4


CMF C8 H10 F8 O2



CM 5

CRN 79-10-7

CMF C3 H4 O2



CM 6


CRN 55818-57-0

CMF (C15 H16 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 7

CRN 79-10-7

CMF C3 H4 O2



CM 8

CRN 25068-38-6


CMF (C15 H16 O2 . C3 H5 Cl O) x

CCI PMS

CM 9

CRN 106-89-8


CMF C3 H5 Cl O



CM 10

CRN 80-05-7

CMF C15 H16 O2




RN 137914-68-2 HCAPLUS

CN 2-Propenoic acid, (2,4,6-trioxo-1,3,5-triazine-1,3,5(2H,4H,6H)-triyl)tri-2,1-ethanediyl ester, polymer with (chloromethyl)oxirane polymer with methylenebis[phenol] 2-propenoate, 3-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)butyl 2-propenoate and 3,3,4,4,5,5,6,6-octafluoro-1,8-octanediol 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 126121-42-4


CMF C15 H15 N O4



CM 2

CRN 40220-08-4

CMF C18 H21 N3 O9



CM 3


CRN 137799-20-3

CMF C8 H10 F8 O2 . x C3 H4 O2

CM 4

CRN 83192-87-4


CMF C8 H10 F8 O2



CM 5

CRN 79-10-7

CMF C3 H4 O2




CM 6

CRN 86752-95-6
CMF (C13 H12 O2 . C3 H5 Cl O)x . x C3 H4 O2

CM 7

CRN 79-10-7
CMF C3 H4 O2



CM 8


CRN 58421-55-9
CMF (C13 H12 O2 . C3 H5 Cl O)x
CCI PMS

CM 9

CRN 1333-16-0
CMF C13 H12 O2
CCI IDS




D1-OH



CM 10

CRN 106-89-8
CMF C3 H5 Cl O



L78 ANSWER 8 OF 8 HCAPLUS COPYRIGHT 2003 ACS on STN
AN 1990:140561 HCAPLUS
DN 112:140561

KATHLEEN FULLER EIC 1700/PARKER LAW 308-4290